



LIMIT SWITCH SERIES






Specification

Model No.	Body Material	Switch	No. Of Elements	Cable Gland
GWP11AMV0	ALU+Plastic	5A	1 NO & 1 NC	M20 X 1.5
GWP12AMV0	ALU+Plastic	5A	2 NO & 2 NC	M20 X 1.5


Features

- ☒ Compact & Lightweight design
- ☒ Weatherproof limit switch.
- ☒ Open / Close indicator visible from all directions.
- ☒ Temperature range -20°C to +80°C
- ☒ No extra attachment required for the indicator dome as it is inbuilt with a transparent cover.
- ☒ Cable entries with multiple connectivity option (M20 & 1/2" NPT).
- ☒ A stainless steel bracket is available as an option.
- ☒ Every adjustable serrated cam for fast & Fine switch adjustment & Also helpful for fine adjusting of feedback setting.

Dimension Drawing (All dimensions in mm)



Wiring Diagram




Indicator

The two piece unique indicator, ensures a life long visibility.



Standard Indicator Color Red & Yellow

LIMIT SWITCH MODEL IDENTIFICATION CHART



Scribble Note....

A series of horizontal dashed lines for writing.

Our Clients



Global Presence...



Made In India



CONTACT US:

✉ sales@uflowvalve.com 📞 +91 89059 07070 📠 +91-2827-254343 🌐 www.uflowvalve.com

📍 Uflow Automation, Ankur Industrial Complex, Sur vey No: 275/276, Plot No: 31, Nr. Intol Cast Pvt. Ltd. Shapar(Veraval) Dist.: Gujarat (India) - 360 024.