



**ROTO SEAL COUPLING
SERIES**



Specifications

Port :	Refer below technical data sheet (Available BSP / NPT)	
Media :	Air, Water, Oil & Gas	
Pressure :	Upto 10 bar	
Temperature :	Nitrile (NBR)	Viton (FKM)
	-30°C to 90°C	-10°C to 180°C
RPM :	1000 RPM	

Section View



Features


- ☑ High-Performance Bearings & Seals.
- ☑ Dual Connection Available.

Technical Data (All dimensions in mm)

All Dimensions are approx.

Model No.	Diagram No.	Body Material	Port Size	Seal Material	A	B	C	D	E	F	G	H	J
UCV1BLV0 / UCV1BRV0	45.1	CF8 / CF8M	¼"	NBR / VITON	18	14	6	23	12	40	45	90	⅛"
UCV7BLV0 / UCV7BRV0	45.1	CF8 / CF8M	⅜"	NBR / VITON	22	14	10	23	13	48	53	99	¼"
UCV2BLV0 / UCV2BRV0	45.1	CF8 / CF8M	½"	NBR / VITON	26	16	12	28	17	56	61	106	⅜"
UCV3BLV0 / UCV3BRV0	45.1	CF8 / CF8M	¾"	NBR / VITON	32	19	19	40	21	72	72	145	½"
UCV4BLV0 / UCV4BRV0	45.1	CF8 / CF8M	1"	NBR / VITON	39	25	24	44	28	83	84	171	¾"
UCV5BLV0 / UCV5BRV0	45.1	CF8 / CF8M	1¼"	NBR / VITON	48	27	32	49	32	95	98	193	1"
UCV6BLV0 / UCV6BRV0	45.1	CF8 / CF8M	1½"	NBR / VITON	54	27	36	48	32	95	98	193	1¼"
UCV8BLV0 / UCV8BRV0	45.1	CF8 / CF8M	2"	NBR / VITON	68	32	47	62	40	123	124	269	1½"

ROTO SEAL MODEL IDENTIFICATION CHART



UCV1BLVO
1/4" ROTARY COUPLING CF8-VITON+CFT-BSP-LHS THREA

Scribble Note....

A series of horizontal dashed lines for writing.

Our Clients



Global Presence...



Made In India



CONTACT US:

✉ sales@uflowvalve.com 📞 +91 89059 07070 📠 +91-2827-254343 🌐 www.uflowvalve.com

📍 Uflow Automation, Ankur Industrial Complex, Sur vey No: 275/276, Plot No: 31, Nr. Intol Cast Pvt. Ltd. Shapar(Veraval) Dist.: Gujarat (India) - 360 024.